## LET'S TALK ABOUT HOW YOU CURRENTLY MANAGE MIGRAINE ATTACKS



Fill out the questions below and bring your answers to your next appointment.

How mar	ny migraine	attacks do y	ou have each	n month?					
(X)	(FF)	( <del>Z</del> )	(Z)	(F)	( <del>**</del> **)	(Z)			
1	2	3	4	5	6	7+			
	atments—bo when they st		tion and over	the counte	er—do you	currently take	e for your migra	aine	
-			of medication		•		Yes □ No medications?		
Which sy	mptoms do	you experie	ence during a	migraine a	ittack?				
₹ <u>₹</u>	2	<u>*</u>		(	<u>o</u>	( <del>'</del> <u>*</u> ;			
Head Pain	Light Se	ensitivity	Sound Sensitivi	ty Na	ausea	All of these			
ASK YOU	JR HEALTH	CARE PROV	/IDER: Does	UBRELVY ti	reat migraiı	ne pain and sy	mptoms?		
How ofte	n do you qu	estion takin	g your migrai	ne medicat	tion becaus	e you're in a p	olace where yo	u feel you can't take it?	
Never	For a few of my migraine attacks			For	For many of my migraine attacks			of my migraine attacks	
ASK YOU	JR HEALTH	CARE PROV	VIDER: Are th	ere any sio	le effects w	ith UBRELVY?	?		
			nigraine will b		ough" befor	e treating it w	vith prescription	on	
Never	For a	few of my migr	aine attacks	For	many of my m	graine attacks	For all	l of my migraine attacks	
ASK YOU	JR HEALTH	CARE PRO	VIDER: If I do	n't take my	medication	n right away, w	vill UBRELVY s	till work?	
TAP	CE THIS W	ITH YOU	AND ASK Y	OUR HE	ALTHCAR	E PROVIDE	ER ABOUT U	BRELVY TODAY!	
What is UBRELVY® (ubrogepant)?					UBRELVY may cause serious side effects, including allergic reactions.				

UBRELVY is a prescription medicine used for the acute treatment of migraine attacks with or without aura in adults. UBRELVY is not used to prevent migraine headaches.

## **IMPORTANT SAFETY INFORMATION**

Do not take UBRELVY if you are taking medicines known as strong CYP3A4 inhibitors, such as ketoconazole, clarithromycin, or itraconazole, or if you are allergic to UBRELVY or any of its ingredients.

Before taking UBRELVY, tell your healthcare provider about all your medical conditions, including if you:

- Have liver problems
- Have kidney problems
- Are pregnant or plan to become pregnant
- Are breastfeeding or plan to breastfeed

Tell your healthcare provider about all the medicines you take,

including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your healthcare provider can tell you if it is safe to take UBRELVY with other medicines.

UBRELVY may cause serious side effects, including allergic reactions. Most reactions happened within hours after taking UBRELVY and were not serious. Some reactions may occur days after taking UBRELVY. Call your healthcare provider or get emergency help right away if you have swelling of the face, mouth, tongue, or throat or trouble breathing.

The most common side effects of UBRELVY are nausea (4%) and sleepiness (3%). These are not all of the possible side effects of UBRELVY.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/myAbbVieAssist to learn more.

Please see full <u>Patient Information</u> or ask your healthcare provider.

UBRELVY® and its design are registered trademarks of Allergan Pharmaceuticals International Limited, an AbbVie company. © 2023 AbbVie. All rights reserved. US-UBR-230276